WEST Search History

Hide Items   Restore   Clear   Cancel

DATE: Tuesday, June 27, 2006

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L147	L146 and replicat$3	28
☐	L146	L145 and (object$1 near5 field$1)	28
☐	L145	L144 and target	38
☐	L144	L143 and encod$3	38
☐	L143	L141 and (double near5 byte)	39
☐	L142	L141 and (code near5 character$1)	9
☐	L141	L140 and language$1 and convert$3	86
☐	L140	L139 and source and target and field$1	146
☐	L139	(binary large object$1) and @py<=2003	397
☐	L138	L137 and target and field$1	0
☐	L137	L136 and identifier$1	2
☐	L136	L133 and (character near5 set)	2
☐	L135	L133 and (double near5 byte)	0
☐	L134	L133 and blob	0
☐	L133	L132 and replicat$3	2
☐	L132	(character near5 set$1) same (replicat$3 near5 data) and @py<=2003	2
☐	L131	L130 and (binary near5 object$1) and @py<=2003	4
☐	L130	(source near5 field$1) and (target near5 field$1) and (replicat$3 near5 data)	102
☐	L129	L127 and mirror$3	0
☐	L128	L127 and replicat$3	0
☐	L127	L126 and (double near5 byte)	4
☐	L126	(convert$3 near5 blob) and @py<=2003	32
☐	L125	(binar near5 object$1) and @py<=2003	10
☐	L124	(binar near5 object$1) and (encod$3 near5 scheme) @py<=2003	0
☐	L123	utf-8 and (binar near5 object$1) and @py<=2003	0
☐	L122	L121 and (double near5 byte)	28
☐	L121	L120 and conver$3 and block and data	43
☐	L120	L119 and replicat$3	43
☐	L119	L118 and target and source and field$1 and table$1	55
	L118	(character near5 set$1) and integer and schema and field$1 and blob and	61

☐		@py<=2003	
☐	L117	L116 and (character near5 set)	10
☐	L116	L112 and blob	24
☐	L115	L113 and convert$3	10
☐	L114	L113 and convert$3 and universal and character	0
☐	L113	L112 and (double near5 byte) and (character near5 set$1)	10
☐	L112	L111 and (target near5 table$1)	537
☐	L111	(source and target and database$1 and replicat$4) and @py<=2003	17177
☐	L110	L109 and replicat$4	1
☐	L109	(convert$3 same (blob near5 data)) and @py<=2003	22
☐	L108	(blob and replication).ab. and @py<=2003	0
☐	L107	(blob and data$).ti. and @py<=2003	5
☐	L106	L105 and source and target	28
☐	L105	L103 and (code near5 point$1)	28
☐	L104	L103 and (universal near5 character)	0
☐	L103	L102 and (double near5 byte)	32
☐	L102	(software and blob and character$1 and set$1 and replicat$4) and @py<=2003	227
☐	L101	L100 and (character near5 set$1)	1
☐	L100	L99 and (source and target and field$1)	5
☐	L99	(replicat$3 same (blob near5 data)) and @py<=2003	8
☐	L98	(chinese near5 language$1) and (japanes near5 language$1) and @py<=2003	0
☐	L97	(chinese near5 language$1) and (japanes near5 language$1) and blob and @py<=2003	0
☐	L96	(universal character set transformation) and @py<=2003	1
☐	L95	(convert$3 near5 blob) and (character near5 set$1) and identifier$1 and target and soruce and @py<=2003	0
☐	L94	L93 and (source near5 field$1) and (target near5 field$1)	0
☐	L93	(blob and database$1 and character$1 and replicat$4 and scheme) and @py<=2003	164
☐	L92	L91 and (data near5 type$1) and attribut$2	46
☐	L91	L90 and (data near5 structure)	47
☐	L90	L89 and (table$1 same field$1)	48
☐	L89	L80 and (replicat$3 near5 data)	58
☐	L88	L87 and @py<=2003	28
☐	L87	L86 and (replicat$3 near5 source)	32
☐	L86	L85 and (convert$3 near5 data)	39
☐	L85	L80 and (target near5 database)	63
☐	L84	L83 and (field$1 near5 id$)	2
	L83	L82 and relational	25

☐

☐	L82	L80 and (source same target) and @py<=2002	25
☐	L81	L80 and (character$1 near5 id$) and @py<=2003	5
☐	L80	(binary large object) and (relational near5 database$1)	399
☐	L79	20020116405.pn.	2
☐	L78	5878220.pn.	2
☐	L77	L76 and first and second and code$1	22
☐	L76	(binary large object) and source and target and field$1 and languages and (convert$3 or transfer$3) and (replicat$3 or mirror$3) and relational and database$1 and @py<2003	29

DB=PGPB; PLUR=YES; OP=ADJ

| ☐ | L75 | US-20050034099-A1.did. | 1 |
| ☐ | L74 | US-20050034099-A1.did. | 1 |

DB=EPAB; PLUR=YES; OP=ADJ

| ☐ | L73 | WO-2003036470-A2.did. | 0 |

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

☐	L72	(blob and data and type$1).ti,ab. and @py<=2003	12
☐	L71	'blob data'.ti.	3
☐	L70	L68 and (id$ near5 character$1)	0
☐	L69	L68 and (coded near5 character$1)	0
☐	L68	L67 and (source same target)	58
☐	L67	L66 and (data near5 field$1)	184
☐	L66	(data near5 structure) and (blob near5 data) and @py<=2003	331
☐	L65	L64 and field$1	28
☐	L64	L63 and (replicat$3 near5 data)	28
☐	L63	(data near5 type$1) and (source near5 field$1) and (blob near5 data) and @py<=2003	49
☐	L62	L61 and (target near5 blob)	11
☐	L61	source near5 blob	66
☐	L60	(character near5 id$) same (blob near5 data) and @py<=2003	0
☐	L59	L58 and (blob near5 attribute$1)	3
☐	L58	xml and blob and scheme and @py<=2003	108
☐	L57	(blob near5 schema) and (blob near5 character$1) and (blob near5 data)	0
☐	L56	(blob near5 schema) and (blob near5 character$1) and (blob near5 data) and @py<=2003	0
☐	L55	L54 and replicat$3	1
☐	L54	(source near5 blob) and (target near5 blob) and @py<=2003	6
☐	L53	(source near5 database$1) same (blob near5 data) and @py<=2003	2
☐	L52	L51 and encod$3	9

☐	L51	L50 and (first near5 character$1) and (second near5 character$1)	11
☐	L50	(image near5 data) and (blob near5 data)	474
☐	L49	L48 and target	2
☐	L48	L47 and source	8
☐	L47	(blob near5 attribut$1) and @py<=2002	17
☐	L46	(source near5 database$1) and (target near5 database$1) and (blob near5 attribut$1) and @py<=2002	0
☐	L45	L44 and (source same target)	28
☐	L44	L43 and schema	43
☐	L43	(blob near5 data) and (character near5 set$1) and (replicat$3 or mirror$3) and @py<=2003	48
☐	L42	(blob and database$1).ti. and @py<=2003	1
☐	L41	L40 and (blob near5 data)	6
☐	L40	L39 and field$1	20
☐	L39	L38 and target	20
☐	L38	L37 and source	29
☐	L37	L36 and blob	37
☐	L36	'utf-8'	1243
☐	L35	L29 and 'utf-8'	0
☐	L34	utf and blob and ccsid and clob and @py<=2002	0
☐	L33	L32 and @py<=2002	8
☐	L32	L31 and blob	14
☐	L31	'double byte character set'	144
☐	L30	L29 and 'double byte character set'	0
☐	L29	L28 and (character near5 set$1)	28
☐	L28	L26 and (double near5 byte)	28
☐	L27	L26 and (multiple near5 languages)	0
☐	L26	L25 and (data near5 field$1)	28
☐	L25	L24 and (format$3 near5 data)	28
☐	L24	L23 and (replicat$3 near5 source)	28
☐	L23	L22 and (relational near5 database$1)	28
☐	L22	L21 and (translate near5 data)	28
☐	L21	L19 and (blob same attribute$1)	28
☐	L20	L19 and (blob near5 attribute$1)	0
☐	L19	L18 and (character near5 set$1)	28
☐	L18	L17 and (field$1 same type$1)	28
☐	L17	L16 and character$1	28
☐	L16	L15 and 'blob'	28

☐	L15	L14 and binary	28
☐	L14	L13 and table$1	28
☐	L13	L11 and language$1	28
☐	L12	L11 and (multiple near5 language$1)	0
☐	L11	L10 and (data near5 structure)	28
☐	L10	L9 and attribut$1	28
☐	L9	L8 and scheme$1	28
☐	L8	L7 and replicat$3	28
☐	L7	L6 and (cod$2 near5 id$)	32
☐	L6	L5 and (source same target)	59
☐	L5	'binary large objects' and (convert$3 or translat$3) and @py<=2003	250
☐	L4	'binary large objects' and (convert$3 or translat$3) and @py<=2004	336
☐	L3	'binary large objects' and (convert$3 or translat$3)	505
☐	L2	L1 and blob	2
☐	L1	coded character set identifier	33

END OF SEARCH HISTORY